

Expanded BRFSS, 2003

Steuben, Yates Locality Tables

TABLE OF CONTENTS:

Core 1: Health Status / Healthy Days 1
Core 2: Health Care Access 4
Core 3: Exercise 8
Core 4: Diabetes 9
Core 5: Asthma 10
Core 6: Arthritis 12
Core 7: Tobacco Use 14
Core 8: Tobacco ETS 17
Core 9: Alcohol Consumption 19
Core 10: Weight Status 21
Core 11: Mammography 23
Core 12: Sexual Behavior 25
Core 13: Family Planning 28
Core 14: Cardiovascular Disease 29
Core 15: Prostate Cancer Screening 31
Core 16: Colorectal Cancer Screening 37

New York State Department Of Health

Expanded BRFSS, 2003 - New York State Department of Health

Self-rated Health Status

Steuben, Yates

Demographic Groups	n¹	Fair or Poor %²	n	Good to Excellent %	C.I.³
Total	118	17.9	532	82.1	3.5
Gender					
Male	47	18.9	196	81.1	5.8
Female	71	16.9	336	83.1	4.0
Age					
18-34	12	13.1	116	86.9	8.1
35-54	37	11.7	240	88.3	4.1
≥55	67	28.5	171	71.5	6.3
Education					
≤High School	72	20.6	254	79.4	4.8
>High School	46	15.4	276	84.6	5.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Reported Number of Physical Distress Days in the Past Month

Steuben, Yates

Demographic Groups	n ¹	≥14 days % ²	n	< 14 days %	C.I. ³
Total	76	10.0	564	90.0	2.4
Gender					
Male	23	8.2	216	91.8	3.5
Female	53	11.7	348	88.3	3.4
Age					
18-34	10	7.0	120	93.0	4.5
35-54	28	7.2	247	92.8	3.2
≥55	37	15.7	191	84.3	5.1
Education					
≤High School	46	11.8	272	88.2	3.6
>High School	30	8.4	290	91.6	3.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Reported Number of Mental Distress Days in the Past Month

Steuben, Yates

Demographic Groups	n ¹	≥14 days % ²	n	< 14 days %	C.I. ³
Total	65	10.5	575	89.5	3.0
Gender					
Male	24	12.1	212	87.9	5.4
Female	41	9.1	363	90.9	2.9
Age					
18-34	18	14.8	112	85.2	7.8
35-54	27	9.8	247	90.2	4.3
≥55	18	7.1	211	92.9	3.8
Education					
≤High School	38	11.8	282	88.2	4.2
>High School	26	8.8	292	91.2	4.3

¹ Percents based on row denominators of less than 50 are unstable and should be used with caution

² Weighted Percent

³ 95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Health Insurance Coverage, 18-64 Years of Age

Steuben, Yates

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	423	80.9	86	19.1	4.3
Gender					
Male	152	81.0	33	19.0	6.8
Female	271	80.7	53	19.3	5.5
Age					
18-34	90	67.5	39	32.5	9.7
35-54	237	85.6	41	14.4	4.7
55-64	96	93.6	6	6.4	5.6
Education					
≤High School	190	75.7	55	24.3	6.2
>High School	231	85.5	31	14.5	6.1

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Health Insurance Coverage, Aged 18 and Older

Steuben, Yates

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	564	84.8	88	15.2	3.5
Gender					
Male	211	84.6	33	15.4	5.6
Female	353	85.0	55	15.0	4.4
Age					
18-34	90	67.5	39	32.5	9.7
35-54	237	85.6	41	14.4	4.7
≥55	231	97.3	7	2.7	2.3
Education					
≤High School	271	81.1	56	18.9	5.0
>High School	291	88.2	32	11.8	5.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Reported Having a Routine Physical Exam in Past Two Years

Steuben, Yates

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	584	89.3	63	10.7	2.7
Gender					
Male	201	85.1	40	14.9	4.8
Female	383	93.1	23	6.9	2.9
Age					
18-34	106	84.0	21	16.0	6.9
35-54	246	87.1	31	12.9	4.6
≥55	226	95.7	11	4.3	2.8
Education					
≤High School	293	88.6	32	11.4	4.1
>High School	289	89.9	31	10.1	3.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Time in Past 12 Months when Needed Medical Care but Could Not Get It

Steuben, Yates

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	31	6.1	619	93.9	2.7
Gender					
Male	14	7.1	230	92.9	4.5
Female	17	5.1	389	94.9	3.1
Age					
18-34	9	11.5	119	88.5	8.3
35-54	16	5.7	262	94.3	3.2
≥55	6	2.3	231	97.7	2.1
Education					
≤High School	18	5.7	308	94.3	2.9
>High School	13	6.4	309	93.6	4.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Participated in Leisure-Time Physical Activity or Exercise During the Past 30 Days

Steuben, Yates

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	471	74.9	180	25.1	3.7
Gender					
Male	182	78.3	61	21.7	5.5
Female	289	71.7	119	28.3	4.9
Age					
18-34	106	82.9	24	17.1	6.8
35-54	216	78.2	62	21.8	5.6
≥55	146	64.9	90	35.1	6.7
Education					
≤High School	212	66.8	114	33.2	5.7
>High School	257	82.5	66	17.5	4.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Physician Diagnosed Diabetes

Steuben, Yates

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	64	8.2	589	91.8	2.2
Gender					
Male	20	6.0	224	94.0	2.9
Female	44	10.2	365	89.8	3.2
Age					
18-34	0	0.0	130	100	0.0
35-54	17	4.2	261	95.8	2.2
≥55	46	19.3	192	80.7	5.6
Education					
≤High School	42	10.7	286	89.3	3.5
>High School	22	5.8	301	94.2	2.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Lifetime Asthma Diagnosed by a Medical Professional

Steuben, Yates

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	77	10.6	576	89.4	2.6
Gender					
Male	18	7.4	226	92.6	3.7
Female	59	13.7	350	86.3	3.7
Age					
18-34	19	14.2	111	85.8	6.5
35-54	27	7.0	251	93.0	2.9
≥55	31	12.3	207	87.7	4.6
Education					
≤High School	47	13.6	281	86.4	4.1
>High School	30	7.9	293	92.1	3.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Current Asthma Diagnosed by a Medical Professional

Steuben, Yates

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	58	7.6	591	92.4	2.1
Gender					
Male	11	4.1	232	95.9	2.6
Female	47	10.8	359	89.2	3.3
Age					
18-34	11	7.7	118	92.3	4.7
35-54	22	5.8	255	94.2	2.7
≥55	25	9.7	211	90.3	4.1
Education					
≤High School	34	9.6	290	90.4	3.4
>High School	24	5.7	299	94.3	2.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Arthritis Diagnosed by a Medical Professional

Steuben, Yates

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	240	32.9	410	67.1	4.1
Gender					
Male	76	28.6	167	71.4	6.4
Female	164	36.9	243	63.1	5.2
Age					
18-34	14	12.4	116	87.6	7.5
35-54	82	27.0	194	73.0	6.0
≥55	139	55.8	98	44.2	7.1
Education					
≤High School	132	34.9	194	65.1	5.6
>High School	108	31.3	214	68.7	6.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Adults with Doctor Diagnosed Arthritis or Possible Arthritis (Chronic Joint Symptoms Only)

Steuben, Yates

Demographic Groups	n ¹	Doctor Diagnosed % ²	C.I. ³	n	Possible Arthritis (CJS Only) %	C.I.	n	No Arthritis or CJS %	C.I.
Total	240	32.9	4.1	92	15.5	3.6	318	51.6	4.5
Gender									
Male	76	28.6	6.4	39	17.8	6.2	128	53.6	7.3
Female	164	36.9	5.2	53	13.3	3.8	190	49.8	5.5
Age									
18-34	14	12.4	7.5	23	17.4	7.2	93	70.2	9.3
35-54	82	27.0	6.0	49	21.0	6.8	145	52.0	7.1
≥55	139	55.8	7.1	19	7.6	4.0	79	36.6	7.0
Education									
≤High School	132	34.9	5.6	43	13.4	4.3	151	51.8	6.1
>High School	108	31.3	6.0	48	17.1	5.7	166	51.6	6.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Smoked 100 Cigarettes in Lifetime

Steuben, Yates

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	332	53.2	318	46.8	4.5
Gender					
Male	145	59.6	99	40.4	7.0
Female	187	47.1	219	52.9	5.5
Age					
18-34	69	54.5	59	45.5	9.7
35-54	136	51.7	142	48.3	7.0
≥55	124	54.5	113	45.5	7.1
Education					
≤High School	187	57.8	139	42.2	6.0
>High School	144	48.7	178	51.3	6.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Current Smoker

Steuben, Yates

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	185	30.8	465	69.2	4.4
Gender					
Male	72	34.1	172	65.9	7.3
Female	113	27.6	293	72.4	5.0
Age					
18-34	59	47.3	69	52.7	9.9
35-54	86	32.8	192	67.2	7.0
≥55	39	15.8	198	84.2	5.2
Education					
≤High School	115	36.4	211	63.6	6.0
>High School	69	25.0	253	75.0	6.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Status of Cigarette Smoking*Steuben, Yates*

Demographic Groups	n¹	Everyday Smoker %²	C.I.³	n	Someday Smoker %	C.I.	n	Former or Never Smoked %	C.I.
Total	143	24.4	4.2	42	6.4	2.2	465	69.2	4.4
Gender									
Male	52	25.5	7.0	20	8.6	4.0	172	65.9	7.3
Female	91	23.4	4.8	22	4.2	2.0	293	72.4	5.0
Age									
18-34	50	40.2	9.9	9	7.1	5.1	69	52.7	9.9
35-54	62	24.5	6.7	24	8.3	3.7	192	67.2	7.0
≥55	30	12.1	4.5	9	3.7	3.0	198	84.2	5.2
Education									
≤High School	91	29.1	5.6	24	7.3	3.4	211	63.6	6.0
>High School	51	19.6	6.4	18	5.5	2.9	253	75.0	6.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Home Smoking Policies*Steuben, Yates*

Demographic Groups	n¹	Not Allowed %²	C.I.³	n	Allowed Some Places %	C.I.	n	Allowed Anywhere %	C.I.
Total	407	63.3	4.3	99	15.2	3.2	145	21.5	3.6
Gender									
Male	149	62.8	6.8	31	13.3	4.9	64	23.9	5.8
Female	258	63.7	5.3	68	17.1	4.2	81	19.2	4.4
Age									
18-34	71	56.1	9.7	27	19.8	7.6	32	24.1	8.4
35-54	178	63.3	6.7	47	16.4	5.1	52	20.3	5.5
≥55	152	68.5	6.4	25	10.5	4.4	60	20.9	5.4
Education									
≤High School	175	55.1	6.1	57	17.7	4.8	95	27.2	5.3
>High School	230	71.0	6.0	42	13.0	4.3	50	16.0	4.9

¹Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Home Smoking

Steuben, Yates

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	189	30.2	463	69.8	4.1
Gender					
Male	76	32.4	167	67.6	6.7
Female	113	28.1	296	71.9	5.0
Age					
18-34	59	44.4	71	55.6	9.7
35-54	79	29.5	199	70.5	6.3
≥55	50	20.0	187	80.0	5.6
Education					
≤High School	123	37.9	205	62.1	5.9
>High School	66	23.0	256	77.0	5.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

At Risk for Binge Drinking (Drank in Past Month and had 5 or more Drinks per drink Occasion)

Steuben, Yates

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	88	16.0	559	84.0	3.5
Gender					
Male	55	24.0	185	76.0	6.2
Female	33	8.6	374	91.4	3.6
Age					
18-34	35	31.6	92	68.4	9.6
35-54	40	14.4	236	85.6	4.7
≥55	12	5.5	225	94.5	3.3
Education					
≤High School	44	15.4	281	84.6	4.7
>High School	44	16.7	276	83.3	5.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

At Risk for Heavy Drinking (Males More Than 2 Drinks and Females More Than 1 Drink per Day in Past Month)

Steuben, Yates

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	36	7.1	615	92.9	2.6
Gender					
Male	25	11.2	217	88.8	4.7
Female	11	3.3	398	96.7	2.2
Age					
18-34	10	11.8	118	88.2	7.2
35-54	13	5.3	265	94.7	3.1
≥55	12	5.2	226	94.8	3.2
Education					
≤High School	21	8.4	305	91.6	3.9
>High School	15	5.9	308	94.1	3.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Overweight or Obese, BMI(Body Mass Index) 25 or More

Steuben, Yates

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	365	58.7	238	41.3	4.7
Gender					
Male	152	60.1	89	39.9	7.4
Female	213	57.3	149	42.7	5.8
Age					
18-34	60	46.2	61	53.8	10.0
35-54	156	63.0	96	37.0	7.4
≥55	147	63.7	81	36.3	7.0
Education					
≤High School	189	59.4	116	40.6	6.3
>High School	176	58.5	120	41.5	7.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Weight Status (Not Overweight BMI<25, Overweight BMI 25-29, Obese BMI 30+)*Steuben, Yates*

Demographic Groups	n¹	Underweight\ Normal %²	C.I.³	n	Overweight %	C.I.	n	Obese %	C.I.
Total	238	41.3	4.7	209	33.8	4.3	156	24.9	3.9
Gender									
Male	89	39.9	7.4	91	35.0	6.7	61	25.1	6.1
Female	149	42.7	5.8	118	32.6	5.4	95	24.6	4.9
Age									
18-34	61	53.8	10.0	36	27.6	8.5	24	18.6	7.5
35-54	96	37.0	7.4	91	35.9	6.9	65	27.1	6.5
≥55	81	36.3	7.0	80	36.0	6.9	67	27.6	6.5
Education									
≤High School	116	40.6	6.3	100	31.7	5.7	89	27.7	5.6
>High School	120	41.5	7.0	109	36.2	6.4	67	22.3	5.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Had Mammography Screening, Women Aged 40 Years and Older

Steuben, Yates

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Female	260	89.8	26	10.2	4.2
Age					
40-64	187	89.0	21	11.0	5.0
≥65	73	91.3	5	8.7	7.7
Education					
≤High School	127	88.7	15	11.3	6.0
>High School	132	90.7	11	9.3	5.8

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Received Mammography Screening in Past Two Years, Women Aged 40 Years and Older

Steuben, Yates

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Female	226	79.6	58	20.4	5.3
Age					
40-64	165	79.7	42	20.3	6.2
≥65	61	79.5	16	20.5	10.0
Education					
≤High School	106	77.1	35	22.9	7.5
>High School	119	82.1	23	17.9	7.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Counseled by Medical Professional on Prevention of STD's Through Condom Use, Aged 64 or Younger

Steuben, Yates

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	56	10.4	439	89.6	2.9
Gender					
Male	12	6.3	167	93.7	3.7
Female	44	14.5	272	85.5	4.4
Age					
18-34	36	23.2	90	76.8	7.5
35-54	17	4.7	252	95.3	2.7
55-64	3	1.4	97	98.6	1.6
Education					
≤High School	31	11.9	211	88.1	4.4
>High School	25	9.2	226	90.8	3.9

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Sexually Active, Age 18-64 Years Old

Steuben, Yates

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	375	82.9	94	17.1	4.3
Gender					
Male	135	79.6	34	20.4	7.6
Female	240	86.1	60	13.9	4.1
Age					
18-34	109	84.5	13	15.5	9.2
35-54	214	86.7	42	13.3	4.9
55-64	52	67.3	39	32.7	10.6
Education					
≤High School	184	82.6	47	17.4	5.8
>High School	189	83.0	47	17.0	6.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Used Condom Last Time Had Sexual Intercourse, Aged 64 or Younger

Steuben, Yates

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	62	17.6	317	82.4	4.4
Gender					
Male	23	17.0	112	83.0	7.0
Female	39	18.0	205	82.0	5.5
Age					
18-34	41	36.8	71	63.2	9.8
35-54	19	7.5	195	92.5	3.6
55-64	2	3.1	51	96.9	4.5
Education					
≤High School	31	20.0	151	80.0	6.7
>High School	30	14.7	165	85.3	5.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Birth Control(BC) Use To Prevent Pregnancy Among Reproductive Aged Men(18-59) and Women(18-44)

Steuben, Yates

Demographic Groups	Use BC			No BC at risk			No BC		
	n ¹	% ²	C.I. ³	n	%	C.I.	n	%	C.I.
Total	221	71.6	5.9	33	10.2	3.7	65	18.2	5.2
Gender									
Male	111	71.1	8.2	14	7.7	4.3	38	21.2	7.6
Female	110	72.4	7.8	19	14.1	6.5	27	13.4	5.4
Age									
18-34	87	69.3	9.6	15	12.5	6.4	23	18.2	8.6
35-59	134	73.5	7.0	18	8.2	4.0	42	18.2	6.2
Education									
≤High School	93	65.5	8.8	20	14.6	6.5	33	19.9	7.5
>High School	127	76.5	7.8	13	6.6	3.9	32	17.0	7.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Physician Diagnosed Heart Attack, Angina or Stroke

Steuben, Yates

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	77	11.8	567	88.2	2.9
Gender					
Male	34	13.8	206	86.2	4.8
Female	43	10.0	361	90.0	3.2
Age					
18-64	34	6.3	468	93.7	2.6
≥65	43	34.0	92	66.0	8.8
Education					
≤High School	36	10.4	289	89.6	3.6
>High School	41	13.3	276	86.7	4.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Physician Diagnosed Coronary Heart Disease (Heart Attack or Angina)

Steuben, Yates

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	62	9.0	582	91.0	2.4
Gender					
Male	22	8.5	218	91.5	3.8
Female	40	9.5	364	90.5	3.1
Age					
18-64	25	4.2	477	95.8	2.0
≥65	37	28.2	98	71.8	8.2
Education					
≤High School	32	8.5	293	91.5	3.1
>High School	30	9.6	287	90.4	3.8

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Had Prostate Specific Antigen Test, Men Aged 40 and Older

Steuben, Yates

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Male	93	59.1	58	40.9	9.4
Age					
40-64	46	47.2	49	52.8	11.8
≥65	47	84.6	9	15.4	9.9
Education					
≤High School	47	56.2	34	43.8	12.2
>High School	46	62.0	24	38.0	14.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Received Prostate Specific Antigen Test in the Past Two Years, Men Aged 40 and Older

Steuben, Yates

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Male	77	48.8	74	51.2	9.3
Age					
40-64	35	36.5	60	63.5	11.2
≥65	42	75.0	14	25.0	12.0
Education					
≤High School	38	44.8	43	55.2	12.0
>High School	39	52.7	31	47.3	14.1

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Had a Digital Rectal Exam, Men Aged 40 and Older

Steuben, Yates

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Male	127	77.6	31	22.4	8.7
Age					
40-64	77	72.7	25	27.3	11.4
≥65	50	89.3	6	10.7	8.6
Education					
≤High School	67	76.6	21	23.4	10.2
>High School	60	78.8	10	21.2	14.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Used a Blood Stool Test at Home, Aged 50 and Older

Steuben, Yates

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	118	41.3	182	58.7	6.3
Gender					
Male	40	41.5	67	58.5	10.4
Female	78	41.2	115	58.8	7.8
Age					
50-64	57	34.2	111	65.8	8.5
≥65	61	49.1	71	50.9	9.3
Education					
≤High School	58	35.0	109	65.0	8.1
>High School	60	48.9	73	51.1	9.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Used a Blood Stool Test at Home in the Past Year, Aged 50 and Older

Steuben, Yates

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	56	18.9	241	81.1	5.2
Gender					
Male	19	20.3	86	79.7	9.1
Female	37	17.8	155	82.2	6.0
Age					
50-64	36	20.5	132	79.5	7.3
≥65	20	17.1	109	82.9	7.3
Education					
≤High School	27	18.1	138	81.9	7.2
>High School	29	19.9	103	80.1	7.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Used a Blood Stool Test at Home in the Past 2 Years, Aged 50 and Older

Steuben, Yates

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	74	25.6	223	74.4	5.7
Gender					
Male	26	26.3	79	73.7	9.6
Female	48	25.0	144	75.0	6.9
Age					
50-64	44	26.3	124	73.7	7.9
≥65	30	24.7	99	75.3	8.2
Education					
≤High School	37	23.2	128	76.8	7.5
>High School	37	28.3	95	71.7	8.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Had a Sigmoidoscopy or Colonoscopy, Aged 50 and Older

Steuben, Yates

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	134	46.3	167	53.7	6.3
Gender					
Male	50	43.9	58	56.1	10.1
Female	84	48.1	109	51.9	8.0
Age					
50-64	62	39.1	107	60.9	8.5
≥65	72	54.2	60	45.8	9.3
Education					
≤High School	59	37.9	108	62.1	8.2
>High School	75	56.3	59	43.7	9.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Had a Sigmoidoscopy or Colonoscopy in the Past 10 Years, Aged 50 and Older

Steuben, Yates

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	124	43.6	175	56.4	6.3
Gender					
Male	49	43.1	59	56.9	10.1
Female	75	43.9	116	56.1	8.0
Age					
50-64	56	36.2	113	63.8	8.4
≥65	68	51.9	62	48.1	9.4
Education					
≤High School	54	35.9	111	64.1	8.2
>High School	70	52.7	64	47.3	9.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Had a Blood Stool Test Using a Home Kit in the Past Year or Had a Lower Endoscopy in the Past 10 Years, Aged 50 and Older

Steuben, Yates

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	154	54.4	147	45.6	6.3
Gender					
Male	60	56.1	49	43.9	10.2
Female	94	53.1	98	46.9	7.9
Age					
50-64	77	49.7	92	50.3	8.7
≥65	77	59.7	55	40.3	9.1
Education					
≤High School	72	48.7	95	51.3	8.4
>High School	82	61.3	52	38.7	9.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval